壹顺科

Shenzhen EC Technology Co.,Ltd.

ADD: 2nd Floor, Building C7, Fuqiao No. 4 Industrial Area, Fuyong Town, Bao'an District, Shenzhen, Guangdong, China, 518108

Contact: Miki Tel: 86-755-23106801 Mobile:+86-18820479359

Website: www.szectech.com Email: Miki@szectech.com

P6 Miracast & Media Projector---Support DLNA/Miracast/Airplay/Airplay mirroring function by wireless or wired cable





Model	Sample	Qty>=1000 PCS
P6	$50.00	$45.00

For home/education/meeting/entertainment

Projection Technology	TFT LCD
Light source	LED
Projection Distance	1.16M - 6.6M
Optical Resolution	800*480

Aspect Ratio	16:9/4:3	
Lamp life time	30000 hours	
Brightness	1800 lumens	
Projection screen Size	32-150 inch	
Speaker Frequency	2W+2W	
System Supported	Android	Android 4.4 and above
	IOS	IOS8 and above
	Windows	Windows 8.1 and above
	MAC	MAC 10.9 and above
Operation system	OS	Linux
	Language	English or customised languages
Transmission Protocol	Miracast/DLNA/Airplay/airplay Mirroring	
Youtube	Web Version	Miracast and airplay mirroring
	APP	Miracast and airplay mirroring
Netflix	APP	supported by miracast for android phones
Wired function		Supported screen mirrroring for the android smart phones and iphones
Local Media files supported	Video Decoder	AVI,H.264,H.263,VC-1,MPEG-2,MPEG-4, DIVD/DIVX, Real8/9/10, RM, RMVB,PMP,FLV,MP4,M4V,VOB,WMV,3GP,MKV and so on
	Video Format	AVI,H.264,H.263,VC-1,MPEG-2,MPEG-4,DIVD/DIVX, Real8/9/10, RM,RMVB,PMP,FLV,MP4,M4V,VOB,WMV,3GP,MKV and so on
	Audio Format	MP3,WMA,OGG,AAC,ASF,WAV
	Image Format	JPG/BMP/PNG/GIF and so on
Port	AC	AC 110-220V/50/60HZ
	VGA in	Connect with external VGA devices by VGA cable,such as printer
	USB	Connect with micro/ lighting/type-c cable fo different phones' wired mirroring
	T/F CARD slot	connecting to external TF CARD
	3.5 jack	Connect with earphone or speaker
	A/V in	Connect with external A/V device by av cable,such as set top box or computer
	HDMI in	Connect with external hdmi devices by hdmi cable,such as set top box or compueter

Button	RETURN	Press to quit or back to the preview step/menu
	S	Press to select the output sources,such as hdmi or av or vga
	M	Fast switch to the main menu screen
	LEFT	Pressing to left or down the volume
	DOWN	Pressing to down
	UP	Pressing to up
	RIGHT	Pressing to right or increase the volume
	OK	Press to confirm
	Power	power on /off the projector
Wi-Fi	802.11b/g/n/ac, 2.4Ghz or dual band 5Ghz+2.4Ghz (option)	
Certificates	CE/FCC/Rohs	
Packing	Accessories	Adapter,User manual,gift box,remote control
	product dimension	198*153*68.5mm
	unit packing dimension	
	unit packing	0.86KG
	qty per carton	
	carton dimension	
	export carton	