

**UM-1010 (10.1 inch)**

---



**"UM-1010" 10.1 inch USB-  
DRIVEN CAPACITIVE TOUCHSCREEN  
MONITORS**

---

**MIMO MAGIC TOUCH DELUXE (UM-1010)**

**MAGIC TOUCH DELUXE (UM-1010)**



## MAGIC TOUCH DELUXE Detail



### **10.1" Capacitive Touchscreen USB Monitor**

**MIMO MAGIC TOUCH DELUXE** presents the world's first 10.1" USB monitor with capacitive touchscreen!!!

#### **Major Features**

- Multi-touch capacitive touchscreen
- Multi-Monitor Environment
- USB Input for Power and Video (no need for video card)
- 10.1" screen
- 1,024x600 resolution
- Sturdy, adjustable dock/base
- Screen can be removed and used independently, as a tethered tablet or mounted (VESA 75) screen
- Two additional USB ports
- Optional AC adapter for additional power supply - if needed - for your additional USB devices
- Fully compatible with Windows 7 and Windows 8
- Display-only mode compatible with Win XP/Vista/2000 and Mac OS X
- Operating Temperature: 0 ~ 35 degree

#### **Multi-Touch Screen Monitors**

**MAGIC TOUCH DELUXE** once again delivers an industry-first with the Magic Touch 10" secondary monitor with the amazing responsiveness of capacitive touch! Capacitive sensing technology has revolutionized the smart phone and tablet market, now it is available as an interface for your computer, far surpassing the responsiveness and overall user experience of traditional resistive touchscreens.

You can use the Magic Touch as a Tablet PC once you install the driver into the PC system by setting the option for Tablet PC after you plug the USB cord of Magic Touch to the PC system since the Magic touch supports multi-touch screen functionality. The controls on the multi-touch screen change are depending on the task you're performing. Use your fingers to pinch, swipe, tap, or double to control Magic Touch

#### **Multi-Touch Screen for Control Panels**

**MIMO MAGIC TOUCH DELUXE** is a perfect solution for touchscreen control panels in such applications as corporate videoconferencing, data entry/capture, smart home entertainment systems, and industrial/manufacturing controls. It is also ideal for a range of other touchscreen applications in healthcare, hospitality, retail, education, sound/video editing, and many other industries. Its dock/base is also a USB hub with two convenience USB ports!

### **Multi-Monitor Environment, Productivity improvement**

Adding a second or third monitor to your computer increases your productivity and makes your work day easier by 10 ~ 50%, that is multiple monitor solutions are giving us a productivity solution simply connecting MYMO USB monitor via just USB port utilizing USB for both power and video input. No additional hardware such as video port, video cable or power adapter required.

### **Supports a variety of Applications as a second monitor**

- Increasing Productivity while using other main screen
  - Monitoring Outlook/Mail, viewing and editing word file
- Multi-Media Player to control entertainment
  - Watching Movies and Internet Video
  - Quick access to toolboxes for online gaming
  - Viewing Digital Photo Albums (PC based)
- Messenger for Social Relationship
  - Instant Messenger, Internet Phone Applications
  - Skype, MSN, Google Chatting
  - Access to Facebook and MySpace to watch for friends
  - Keep your Twitter Client up all the time.

---

### **The Composition of Product**



**UM-1010**



**USB CABLE**



**Screws for VESA 75 compatible**



**AC ADAPTER**

※ Package Contents are subject to vary upon each model, please contact your local dealer if any items are missing.

## Specification

Specification		TSP Model
Display	Screen Size	10.1"
	Resolution	WSVGA(1,024*600)
	Display Colors	262,144
	Brightness	200 cd/m <sup>2</sup>
	Contrast Ratio	300:1
	Response Time	16msec
Input	Touch Input	<b>Capacitive Touch Screen Panel</b>
	Video Input	USB2.0 High Speed
	Connector	USB Mini B type
		Two additional USB Ports (A Type)
Power	Power Input	USB Power (5V, 1A)
		<b>Optional AC Adapter (5V, 2A)</b>
	Power Consumption	~ 5.0 W
Operating Temperate	Temp. of glass surface	0 ~ 35 degree
Dimensions	Main Monitor	264(W) x 170(L) x 20(H) mm
	Base Dock	200(W) x 148(L) x 28(H) mm
	Monitor w/ Base Dock	264(W) x 218(L) x 148(H) mm
	Shipment Dimension (Retail Box)	310(W) x 290(L) x 125(H) mm

Special Viewing Feature: The Monitor Stand is removable and is interchangeable

with the provided Easel Stand.

## **PC System Requirements**

### **PC H/W Requirements**

- . CPU: Intel Pentium/Celeron/AMD/K6/Athlon/Duron 1.2GHz or above
- . RAM: 512MB or above
- . USB: at least one or more USB 2.0 port
- . 30MB HDD space above

### **Operating System**

- Full compatible with Window 8(64bit), Windows 8(32bit), Window 7(64bit), Windows 7(32bit)
- Display only mode compatible with Windows Vista(32bit), Windows XP(SP2 32bit), Windows 2000(SP4)
- MAC OSX Snow Leopard(32bit only), Leopard 10.5.6, Tiger 10.4.11

- End -